

STOLL



STOLL Solid

Introducing the new Solid.
The countdown has started.



AN INNOVATION FROM STOLL is waiting to be driven on the farm.

It is important for our dealers to be constantly kept informed of the latest developments from STOLL. That is why you are already getting a sneak preview of the countdown for the new SOLID from STOLL. We want to give you this look into the future, which simultaneously gives you insights into the new features from SOLID. Because we know: You are the one who sits behind the wheel at the start of the race, driving things forward.

We hope you enjoy SOLID.

Working full steam ahead.

The design team is currently working hard on our new Solid, so that in a few weeks it can generate optimum value for your order intake.

Real compact power, even when things get tough. The new Solid is impressive in many ways. Powerful – just like you are used to with STOLL products. Smooth and safe – thanks to flawless internal piping. Design-oriented – thanks to the new Curved-Line.

Do you have high expectations? Excellent! Because then we share the demand for a lifting arm. Shout “Go!” for the new Solid.



Beautiful curves.



- + MECHANICAL PARALLEL LINKAGE
- + SAME DRIVE-IN SYSTEM
AS THE PROFILINE FRONT LOADERS
- + EXCELLENT
TILTING AND DUMPING ANGLE
- + LOW TARE WEIGHT
- + IMPROVED PERFORMANCE DATA
VS. CLASSICLINE
- + MODERN LOOK
- + EQUIPMENT AVAILABLE: HYDRO-FIX UPPER PART,
3RD CONTROL CIRCUIT AND COMFORT DRIVE
- + SPECIAL PAINTWORK AVAILABLE

Beautiful curves.



- + MECHANICAL PARALLEL LINKAGE
- + SAME DRIVE-IN SYSTEM
AS THE PROFILINE FRONT LOADERS
- + EXCELLENT
TILTING AND DUMPING ANGLE
- + LOW TARE WEIGHT
- + IMPROVED PERFORMANCE DATA
VS. CLASSICLINE
- + MODERN LOOK
- + EQUIPMENT AVAILABLE: HYDRO-FIX UPPER PART,
3RD CONTROL CIRCUIT AND COMFORT DRIVE
- + SPECIAL PAINTWORK AVAILABLE

Beautiful curves.



- + MECHANICAL PARALLEL LINKAGE
- + SAME DRIVE-IN SYSTEM
AS THE PROFILINE FRONT LOADERS
- + EXCELLENT
TILTING AND DUMPING ANGLE
- + LOW TARE WEIGHT
- + IMPROVED PERFORMANCE DATA
VS. CLASSICLINE
- + MODERN LOOK
- + EQUIPMENT AVAILABLE: HYDRO-FIX UPPER PART,
3RD CONTROL CIRCUIT AND COMFORT DRIVE
- + SPECIAL PAINTWORK AVAILABLE

Beautiful curves.



- + MECHANICAL PARALLEL LINKAGE
- + SAME DRIVE-IN SYSTEM
AS THE PROFILINE FRONT LOADERS
- + EXCELLENT
TILTING AND DUMPING ANGLE
- + LOW TARE WEIGHT
- + IMPROVED PERFORMANCE DATA
VS. CLASSICLINE
- + MODERN LOOK
- + EQUIPMENT AVAILABLE: HYDRO-FIX UPPER PART,
3RD CONTROL CIRCUIT AND COMFORT DRIVE
- + SPECIAL PAINTWORK AVAILABLE

Improved performance.

Solid			30-16		35-18		38-20	
Type			P	H	P	H	P	H
Suitable for tractors with kW / hp power		kW PS	35-50 45-65		40-60 55-80		50-77 65-105	
Lifting power in implement pivot point	bottom top	daN	1.560 1.220		1.810 1.270		1.960 1.410	
Rollback force 900mm in front of pivot		daN	1.870	1.590	2.310	1.570	2.360	2.120
Maximum lift height in the implement pivot point		mm	3.010		3.460		3.760	
Tipping angle (crowd)	bottom	° de- grees	43		43		46	
Tipping angle (dump)	top	° de- grees	63		63		58	
Weight, loader arm without implement		kg	315	275	335	290	355	315

The curved design blends in perfectly with the look of the customer tractor. Because we know what makes farmers proud.

It is not just impressive on account of its tasteful design, but also due to STOLL's understanding of what the farmers need. Naturally, our Solid is also on top form with the proven STOLL drive-in system. The low tare weight and option for special paintwork are additional highlights, among many other unique selling points.



Pole position in the starting lineup.

The new Solid is the perfect combination of a tasteful design with the highest technical standards. Cool curves, light thanks to the fine grain steel, optimum technical values and, as always, the patented drive-in system. The benchmark for Formula 1 front loaders. We design with thought, style and precision.

For the people who are our true heroes: The farmers.

If you have any questions or ideas, you can contact your STOLL sales professional with every confidence.



Wilhelm STOLL Maschinenfabrik GmbH
Bahnhofstr. 21 | 38268 Lengede
Phone: +49 (0) 53 44 / 20-0
Fax: +49 (0) 53 44 / 20-182

www.stoll-germany.com